

ಫ್ಯಾಕ್ಸ್ / Fax : 080-25586321

ಈಮೇಲ್ / Email : ho@kspcb.gov.in

ವೆಬ್‌ಸೈಟ್ / Website : http://kspcb.gov.in



080-25581383, 25589112
080-25589113, 25589114

ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ Karnataka State Pollution Control Board

"ಪರಿಸರ ಭವನ", 1 ರಿಂದ 5ನೇ ಮಹಡಿಗಳು, ನಂ. 49, ಚರ್ಚ್ ಸ್ಟ್ರೀಟ್, ಬೆಂಗಳೂರು - 560 001, ಕರ್ನಾಟಕ ರಾಜ್ಯ, ಭಾರತ
"Parisara Bhavan", 1st to 5th Floor, # 49, Church Street, Bangalore - 560 001, Karnataka State, India
NO. PCB/21/BMW-012/2020-21/ 566.

DATE:

/ BY REGD. POST WITH ACK. DUE /

26 MAY 2021

CORRIGENDUM

- Sub:** Consent for Operation to M/s. Aralaguppe Mallegowda District Hospital, Ward No. 8, Azad Park, Opposite City Municipal Council, Chikkamagalur.
- Ref:** 1. Combined Consent Order No. AW-324845 dated 27.04.2021.
2. Letter from Regional Officer, Chikkamagaluru No. PCB/EO(CKM)/CFO/2020-21/1181 Dt. 25.03.2021 enclosing inspection report based on inspection on 24.02.2021
3. Consent for Operation (CfO)- Renewal application under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, Inward No. 100067 Dt.15.02.2021

Preamble:

The Board vide ref.(1) had issued consent for operation to M/s. Aralaguppe Mallegowda District Hospital, Ward No. 8, Azad Park, Opposite City Municipal Council, Chikkamagalur vide ref. (1) based on inspection report vide ref.(2).

Whereas, upon verification of ref.(2) and (3) it was observed that the application was made for the period of 01.07.2019 to 30.06.2024.

Hence, the following orders;

ORDER

In the consent for establishment issued vide ref. (1), in the page (1) the validity of consent shall be read as 01.07.2019 to 30.06.2024.

All other terms and conditions in the CfO cited at ref. (1) remain same and unaltered.

The receipt of this letter may please be acknowledged.

ಹಿರಿಯ ಪರೀಕ್ಷಣಾ	
ಪರೀಕ್ಷಣಾ ಅಧೀಕ್ಷಕರು	
ಕಛೇರಿ ಅಧೀಕ್ಷಕರು	12 3/1/21

For and on behalf of
Karnataka State Pollution Control Board

Senior Environmental Officer

To
M/s. Aralaguppe Mallegowda District Hospital,
Ward No. 8, Azad Park,
Opposite City Municipal Council,
Chikkamagalur.

"ಪ್ಲಾಸ್ಟಿಕ್ ಬಳಕೆ ನಿಲ್ಲಿಸಿ, ಪರಿಸರ ಹಾನಿ ತಪ್ಪಿಸಿ"

AVOID USE OF PLASTIC BE 'ECO' FRIENDLY



ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ Karnataka State Pollution Control Board

"ಪರಿಸರ ಭವನ", 1 ರಿಂದ 5ನೇ ಮಹಡಿಗಳು, ನಂ. 49, ಚರ್ಚ್ ಸ್ಟ್ರೀಟ್, ಬೆಂಗಳೂರು - 560 001, ಕರ್ನಾಟಕ ರಾಜ್ಯ, ಭಾರತ
"Parisara Bhavan", 1st to 5th Floor, # 49, Church Street, Bangalore - 560 001, Karnataka State, India

FORM -III (See rule-10) AUTHORISATION

(Authorisation for operating a facility for Collection, Transportation, Treatment or processing or conversion, Disposal or destruction use offering for sale, transfer of biomedical wastes)

1. File number of authorisation and date of issue NO. PCB/21/BMW-012 565 dt: **26 MAY 2021**
2. M/s. Aralaguppe Mallegowda District Hospital an occupier or operator of the hospital located at Ward No. 8, Azad Park, Opposite City Municipal Council, Chikkamagalur is hereby granted an authorisation for;

Activity Please tick:

Generation, segregation ☒

Collection, ☒

Storage ☒

Packaging

Reception

Transportation

Treatment or processing or conversion

Recycling

Disposal or destruction use offering for sale, transfer

Any other form of handling

3. Ward No. 8, Azad Park, Opposite City Municipal Council, Chikkamagalur, is hereby authorized for handling of biomedical waste as per the capacity given below;

(i) Number of beds of HCF: 400 beds

Category	Bio- Medical Waste generated	Quantity	Treatment method
1.Yellow	a. Human Anatomical Waste	8 to 10 kg/d	Solid wastes shall be handed over to M/s. VV Incin Solutions Private Limited, Sy No: 456/p, Near Chitradurga CMC MSW site, Dhyamavvanahalli Village, Chitradurga at Taluk and District.
	b. Animal Anatomical Waste	-	
	c. Soiled Waste	50-60 kg/d	
	d. Expired or Discarded Medicines	500 g/d	
	e. Chemical Solid Waste	1 to 2 kg/d	
	f. Chemical Liquid Waste	10-15 l/d	Liquid waste shall be disinfected and treated in Sewage treatment plant.
	g. Discarded linen, mattresses, beddings contaminated with blood or body fluid	-	
	h. Microbiology, Biotechnology and other clinical laboratory waste	65-70 kg/d	
Red	Contaminated Waste (Recyclable)	65-70 kg/d	The hospital shall hand over the wastes of this category to CBMWTF of M/s. VV Incin Solutions Private Limited, Sy No: 456/p, Near Chitradurga CMC MSW site, Dhyamavvanahalli Village,
White	Waste Sharps including metals	5-805 kg/d	
Blue	Glassware	60-65 kg/d	
	Metallic body implants		

			Chitradurga at Taluk and District
--	--	--	-----------------------------------

4. This authorisation shall be in force for a period of up to 30.06.2024 from the date of issue.
5. This authorisation is subject to the conditions stated below and to such other conditions as May be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Date

Place: Bangalore

**Draft Approved
By Member Secretary**


MEMBER SECRETARY
KSPCB

To.

The Occupier,

M/s. Aralaguppe Mallegowda District Hospital

Ward No. 8, Azad Park, Opposite City Municipal Council,

Chikkamagalur

TERMS AND CONDITIONS OF AUTHORISATION

1. The applicant shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. Applicant shall take all necessary steps to ensure that bio-medical waste is handled without any adverse effect to human health and the environment and in accordance with these rules.
7. Applicant shall make a provision within the premises for a safe, ventilated and secured location for storage of segregated biomedical waste in colored bags or containers in the manner as specified in Schedule I of the Bio-Medical Waste Management Rules, 2016.
8. Applicant shall ensure that there shall be no secondary handling, pilferage of recyclables or inadvertent scattering or spillage by animals and the bio-medical waste from such place or premises shall be directly transported in the manner as prescribed in these rules to the common bio-medical waste treatment facility or for the appropriate treatment and disposal, as the case may be, in the manner as prescribed in Schedule I the Bio-Medical Waste Management Rules, 2016.
9. Applicant shall pre-treat the laboratory waste, microbiological waste, blood samples and blood bags through disinfection or sterilisation on-site in the manner as prescribed by the World Health Organisation (WHO) or National AIDS Control Organisation (NACO) guidelines and then sent to the common bio-medical waste treatment facility for final disposal;
10. Applicant shall phase out use of chlorinated plastic bags, gloves and blood bags within two years from the date of notification of these rules;
11. Applicant shall dispose solid waste other than bio-medical waste in accordance with the provisions of respective waste management rules made under the relevant laws and amended from time to time;
12. Applicant shall not to give treated bio-medical waste with municipal solid waste;
13. Applicant shall provide training to all its health care workers and others, involved in handling of bio medical waste at the time of induction and thereafter at least once every year and the details of training programmes conducted, number of personnel trained and number of personnel not undergone any training shall be provided in the Annual Report;


SENIOR ENVIRONMENTAL OFFICER
(Waste Management Cell)

5/2/24